ELSEVIER

Information Processing Letters 54 (1995) 361–363

Information Processing Letters

Author Index Volume 54 (1995)

(The issue number is given in front of the page numbers)

Agarwala, R. and **D. Fernández-Baca**, Weighted search in the plane (2) 97–100
Alon, N. and **Y. Mansour**, ε-discrepancy sets and their application for interpolation of sparse polynomials (6) 337–342
Alvarez, G.A. and **M.O. Fernández**, Efficient management of multiple outstanding timeouts (3) 139–145
Annexstein, F.S., *see* **Schlipf, J.S.** (3) 133–137
Ausiello, G. and **M. Protasi**, Local search, reducibility and approximability of NP-optimization problems (2) 73– 79
Ayani, R., *see* **Barriga, L.** (2) 81– 84

Barnard, D.T., *see* **Schmeiser, J.P.** (6) 323–326
Barriga, L. and **R. Ayani**, Lazy update: An efficient implementation of LRU stacks (2) 81– 84
Barsi, F., Decoding residue codes (4) 213–222
Blokhuis, A. and **T. Kloks**, On the equivalence covering number of splitgraphs (5) 301–304
Bolland, R.P. and **J. Urrutia**, Separating collection of points in Euclidean spaces (*Corrigendum*) (6) 359
Bunke, H. and **J. Csirik**, An improved algorithm for computing the edit distance of run-length coded strings (2) 93– 96

Chamberlain, R., *see* **Varghese, G.** (2) 121–126
Chen, C.-C. and **R.-J. Chen**, Compact embedding of binary trees into hypercubes (2) 69– 72
Chen, R.-J., *see* **Chen, C.-C.** (2) 69– 72
Chickering, D.M., D. Geiger and **D. Heckerman**, On finding a cycle basis with a shortest maximal cycle (1) 55– 58
Chrobak, M. and **T.H. Payne**, A linear-time algorithm for drawing a planar graph on a grid (4) 241–246
Cidon, I. and **Y. Shavitt**, Message terminating algorithms for anonymous rings of unknown size (2) 111–119
Corneil, D.G., S. Olariu and **L. Stewart**, A linear time algorithm to compute a dominating path in an AT-free graph (5) 253–257
Csirik, J., *see* **Bunke, H.** (2) 93– 96

de Luca, A., A division property of the Fibonacci word (6) 307–312
Demri, S., 3-SAT = SAT for a class of normal modal logics (5) 281–287
Desel, J., E. Kindler, T. Vesper and **R. Walter**, A simplified proof for a self-stabilizing protocol: A Game of Cards (6) 327–328
Dong, G., On the index of positive programmed formal languages (2) 105–110
Dunne, P.E., C.J. Gittings and **P.H. Leng**, Multiprocessor simulation strategies with optimal speed-up (1) 23– 33

Fernández-Baca, D., *see* **Agarwala, R.** (2) 97–100
Fernández, M.O., *see* **Alvarez, G.A.** (3) 139–145
Fernau, H., A note on uniformly limited ET0L systems with unique interpretation (4) 199–204
Franco, J.V., *see* **Schlipf, J.S.** (3) 133–137
Fromentin, E., C. Jard, G.-V. Jourdan and **M. Raynal**, On-the-fly analysis of distributed computations (5) 267–274
Fujita, S., A note on the size of a multicast tree in hypercubes (4) 223–227
Fujiwara, A., T. Masuzawa and **H. Fujiwara**, An optimal parallel algorithm for the Euclidean distance maps of 2-D binary images (5) 295–300
Fujiwara, H., *see* **Fujiwara, A.** (5) 295–300

Gawiejnowicz, S. and **L. Pankowska**, Scheduling jobs with varying processing times (3) 175–178
Geiger, D., *see* **Chickering, D.M.** (1) 55– 58
Ghosh, S., *see* **Herman, T.** (5) 259–265
Gittings, C.J., *see* **Dunne, P.E.** (1) 23– 33
Goldwurm, M., Random generation of words in an algebraic language in linear binary space (4) 229–233
Gonzalez, T.F., A simple LP-free approximation algorithm for the minimum weight vertex cover problem (3) 129–131

Elsevier Science B.V.

Hébrard, J.-J., Unique Horn renaming and Unique 2-Satisfiability (4) 235–239
Heckerman, D., *see* **Chickering, D.M.** (1) 55– 58
Herman, T. and **S. Ghosh**, Stabilizing phase-clocks (5) 259–265

Inagaki, H., *see* **Sugihara, K.** (5) 275–280
Iwama, K. and **T. Pitassi**, Exponential lower bounds for the tree-like Hajós calculus (5) 289–294

Jain, R. and **J. Werth**, Analysis of approximate algorithms for edge-coloring bipartite graphs (3) 163–168
JáJá, J., *see* **Snelick, R.** (3) 147–153
Jard, C., *see* **Fromentin, E.** (5) 267–274
Jenner, B., Knapsack problems for NL (3) 169–174
Jones, C.B., Partial functions and logics: A warning (2) 65– 67
Jourdan, G.-V., *see* **Fromentin, E.** (5) 267–274

Kacker, R., *see* **Snelick, R.** (3) 147–153
Kaivola, R., On modal mu-calculus and Büchi tree automata (1) 17– 22
Kao, M.-Y., Linear-time optimal augmentation for componentwise bipartite-completeness of graphs (1) 59– 63
Kindler, E., *see* **Desel, J.** (6) 327–328
Kloks, T., *see* **Blokhuis, A.** (5) 301–304
Kummer, M., A learning-theoretic characterization of classes of recursive functions (4) 205–211

Laroussinie, F., About the expressive power of *CTL* combinators (6) 343–345
Leng, P.H., *see* **Dunne, P.E.** (1) 23– 33
Litow, B., The influence of graph structure on generalized dimension exchange (6) 347–353
Lyon, G., *see* **Snelick, R.** (3) 147–153

Mansour, Y., *see* **Alon, N.** (6) 337–342
Masuzawa, T., *see* **Fujiwara, A.** (5) 295–300
Moore, D. and **W.F. Smyth**, A correction to "An optimal algorithm to compute all the covers of a string" (2) 101–103
Myers, G., Approximately matching context-free languages (2) 85– 92

Nassar, H., A Markov model for multibus multiprocessor systems under asynchronous operation (1) 11– 16
Nikolopoulos, S.D., Constant-time parallel recognition of split graphs (1) 1– 8

Oberoi, S., $\lambda_{\beta'}$ – A λ-calculus with a generalized β-reduction rule (1) 45– 53
Ogihara, M., On helping by parity-like languages (1) 41– 43
Olariu, S., *see* **Corneil, D.G.** (5) 253–257
Oyang, Y.-J., A tight upper bound of the lumped disk seek time for the Scan disk scheduling policy (6) 355–358

Pankowska, L., *see* **Gawiejnowicz, S.** (3) 175–178
Payne, T.H., *see* **Chrobak, M.** (4) 241–246
Petersen, H., On space functions fully constructed by two-dimensional Turing machines (1) 9– 10
Petreschim, R. and **A. Sterbini**, Recognizing strict 2-threshold graphs in $O(m)$ time (4) 193–197
Pitassi, T., *see* **Iwama, K.** (5) 289–294
Protasi, M., *see* **Ausiello, G.** (2) 73– 79

Rao, R.P.N., A note on P-selective sets and closeness (3) 179–185
Raynal, M., *see* **Fromentin, E.** (5) 267–274
Rusu, I., Quasi-parity and perfect graphs (1) 35– 39

Sajith, G. and **S. Saxena**, Optimal parallel algorithms for coloring bounded degree graphs and finding maximal independent sets in rooted trees (*Corrigendum*) (5) 305
Saxena, S., *see* **Sajith, G.** (5) 305
Schlipf, J.S., F.S. Annexstein, J.V. Franco and **R.P. Swaminathan**, On finding solutions for extended Horn formulas (3) 133–137
Schmeiser, J.P. and **D.T. Barnard**, Producing a top-down parse order with bottom-up parsing (6) 323–326
Shallit, J., *see* **Tromp, J.** (6) 313–316
Shavitt, Y., *see* **Cidon, I.** (2) 111–119
Simon, K., A note on lexicographic breadth first search for chordal graphs (5) 249–251
Sloan, R.H., Four types of noise in data for PAC learning (3) 157–162
Smyth, W.F., *see* **Moore, D.** (2) 101–103
Snelick, R., J. JáJá, R. Kacker and **G. Lyon**, Using synthetic perturbations and statistical screening to assay shared-memory programs (3) 147–153
Srimani, P.K., *see* **Vadapalli, P.** (6) 329–335
Sterbini, A., *see* **Petreschim, R.** (4) 193–197
Stewart, L., *see* **Corneil, D.G.** (5) 253–257
Subramanian, A., A polynomial bound on the number of light cycles in an undirected graph (*Erratum*) (4) 247
Sugihara, K. and **H. Inagaki**, Why is the 3D Delaunay triangulation difficult to construct? (5) 275–280
Swaminathan, R.P., *see* **Schlipf, J.S.** (3) 133–137

Tromp, J. and **J. Shallit**, Subword complexity of a generalized Thue–Morse word (6) 313–316

Urrutia, J., *see* **Bolland, R.P.** (6) 359

Vadapalli, P. and **P.K. Srimani**, Trivalent Cayley graphs for interconnection networks (6) 329–335
Varghese, G., R. Chamberlain and **W.E. Weihl**, Deriving global virtual time algorithms from conservative simulation protocols (2) 121–126
Vesper, T., *see* **Desel, J.** (6) 327–328

Walter, R., *see* **Desel, J.** (6) 327–328
Weihl, W.E., *see* **Varghese, G.** (2) 121–126
Weiss, M.A., A note on construction of treaps and Cartesian trees (2) 127–127
Werth, J., *see* **Jain, R.** (3) 163–168
Woeginger, G.J., Scheduling with time-dependent execution times (3) 155–156

Yu, X., A new solution for Thue's problem (4) 187–191

Zissimopoulos, V., On the performance guarantee of neural networks for NP-hard optimization problems (6) 317–322